ghibli & wirbel

# SPRAY - EXTRACTION CLEANERS



VACUUM, WASH AND DRY IN A SINGLE STEP ANY TYPE OF TEXTILE SURFACE HAS NEVER BEEN SO EASY THANKS TO THE COMPLETE RANGE OF G&W SPRAY-EX CLEANERS!

### ghibli & wirbel

Ghibli & Wirbel, always looking for innovative products and solutions that can perfectly match the increasingly specific needs of cleaning operators, introduces its line of carpet cleaners, spray and extraction machines characterized by reliability, strength and ease of use. The well-known bestseller of the Classic Line range, M 26, perfected in terms of filling practicality, joins the Power Extra line which, radically renewed both in the models and in the technical functions, represents the ideal solution for any type of needs during daily cleaning of fabrics, rugs, carpets ...

# **CLASSIC LINE**

# M 26

M 26 is available in three versions (Ulka, Ceme and Auto Ceme) featuring the two-phase motors that marked Ghibli's success worldwide. The new solution tank, easy to fill and transport, makes M 26 even more ergonomic. Spray-extraction cleaner mounted on driving frame with stainless steel container, pump thermo-protection and separated pump control. The two-motors head, where each motor can be started separately, guarantees top reliability. The pumps ranging from 48 to 60 W, the air flow rate up to 4.25 I/min and still advanced technical features make M 26 ideal for all types of cleaning tasks.



### **M 26 I ULKA**

The ULKA version is equipped with a powerful pump of 48 W, spray rate 1,1 I/min, spray pressure 7 bar.

### M 26 I CEME

The CEME version is equipped with a powerful pump of 60 W, spray rate 4,25 l/min, spray pressure 6 bar.

### M 26 I AUTO CEME

AUTO version (specific for automotive and carwash sector) is equipped only with hand nozzle and 6 m spray-ex hose Ø 40.

### PRODUCT IDENTIFICATION

TYPE	REF. NO.
M 26 I ULKA	19131210005
M 26 I CEME	19131212002
M 26 I Auto CEME	19131210191

Voltage - Frequency	220-240	V~ 50/60 Hz
Max power rating	W	2300
Rated power (nominal power)	W	1900
Cleaning solution tank		12
Useful capacity for dirty water		56
Air flow rate	I/s	100
Vacuum	mbar	190
Sound level	dbA	65
IP code		IPX4
Power supply cable	m	10
Weight (without accessories)	Kg	24,5
Dimensions	mm	610x540x920



### **CLEANING SOLUTION TANK**

large and easy to fill. Removable quickly and easily.



### **ULKA PUMP AND CEME PUMP**

ULKA with a powerful pump of 48 W, spray rate 1,1 I/min, spray pressure 7 bar. CEME with a powerful pump of 60 W, spray rate 4,25 I/min, spray pressure 6 bar.



### **HAND SPRAY-EX TOOL**

for a perfect atomization of the cleaning solution on every surface. Practical and ergonomic.



### SPRAY-EX FLOOR ALU TOOL

even more resistant for particularly demanding jobs. (Optional)



### **FLEXIBLE SPRAY-EX HOSES**

- Flexible hose (Ø 40): practical and resistant available in both 3 and 6 meters versions (depending on the models).
  - The clean (small) water hose. Coupled, but separate (and detachable) from the suction hose: more hygienic, easy to use and/or to replace



### **DRAIN HOSE**

to easily empty the tank without any effort

#### STANDARD ACCESSORIES

REF. NO.	ТҮРЕ	IULKA	I CEME	I AUTO CEME
6493150	Flexible hose 3 m		•	
6493151	Flexible hose 6 m	•		•
7180074	Hand spray-ex tool	•	•	•
6935730	Spray-ex floor tool with "S" tube	•	•	

### **OPTIONAL ACCESSORIES**

REF. NO.	ТҮРЕ	IULKA	I CEME	I AUTO CEME
7180089	Floor spray-ex alu tool	•	•	•

# M 26

AT A GLANCE

### **ERGONOMIC HANDLE**



to empty the container

The main element of the Power Extra spray-extraction cleaners is the quality of the product combined with extreme practicality and ease of use. On top of the best selling POWER EXTRA 7 - compact and able to clean all types of textiles - our range offers the new POWER EXTRA 11, 21 and 31 models.

Three models featuring high technical quality and ease of use thanks to the **VERTICAL DOUBLE-TANK SYSTEM** and the **SMART SOLUTION FILLING PORT**.

Each of the three models is available in two versions: one has been conceived for the Automotive sector, the second one ideal for any another cleaning task. Vacuuming, washing and drying any type of textile surface (with no interruption) has never been so easy! A distinctive feature of the new Power Extra Series is the perfect mix of solutions that work together to achieve the best cleaning results in any environment.



# POWER EXTRA: THE POWER IN THE EXTRACTORS!

Ghibli & Wirbel spray-extraction cleaners are already well known for their high quality standards. The Power Extra line represents a further relevant improvement. The **POWER LINE VAC MOTOR HEADS**: maximum safety and excellent working results. **NEW PUMPS**: standard in all the models, even better performance compared to the past. Precise and efficient water flow dispensing in every working conditions. All the new models are equipped with a pressure switch, to ensure the maximum reliability and control in every kind of cleaning activity.



### **USER FRIENDLY**

The new Power Extra range have been studied and developed specifically to guarantee to cleaning operators the maximum comfort and ease of use in their daily activities. Trolley with handle (standard on the bigger models): to simplify and speed up the operator movements on every kind of surface.

Twin- tanks vertical system: high professional and maximum simplicity in the daily practice. Solution tank filling and recovery tank draining are now extremely easy! Both the operations can even be done almost simultaneously. Filling port large and robust: intuitive and immediate. Drain hose to easily empty the recovery tank. Higher reliability and safety, thanks to the pressure switch and to black nylon filter both standard in all new models (Power Extra 11, 21 and 31).



**FILLING PORT** 



**QUICK CONNECTION** 



**NYLON PROTECTION FILTER** 



CLEAN WATER LEVEL INDICATOR

# SIMPLE AND FLEXIBLE SOLUTIONS

The new Power Extra models (Power Extra 11, 21, 31) are all available in two different versions:

- the "I" version, complete, equipped with all the main accessories needed for the daily cleaning tasks on every textile surface.
- the "I Auto" version, specific for Car Wash / Automotive segment, ideal to clean the cars interiors.

Each model can be even more customized thanks to a wide selection of optional accessories. The Power Extra 7 model also features the "P" version, characterized by the resistant polypropylene tank.



IDEAL FOR EVERY TYPE OF TEXTILE SURFACE



PRACTICAL AND EASY TO USE



Compact model to clean, wash and dry every type of textile surface. Equipped with a powerful pump: 28 W, water spray rate 0,95 l/min, pressure 4 bar 7 liters solution tank capacity (removable solution tank). Separated pump control.



### **POWER EXTRA 7 P**

The P version is characterized by the resistant polypropylene tank.

# **POWER EXTRA 7 I**

The I version is equipped with stainless steel container.

### POWER EXTRA 7 I AUTO

The I Auto version is equipped with spray-ex upholstery tool and above all a 6 m spray-ex hose (Ø 40) to clean without any effort the car interiors (even the less accessible areas).

#### PRODUCT IDENTIFICATION

TYPE	REF. NO.
POWER EXTRA 7 P	16221210001
POWER EXTRA 7 I	16244010001
POWER EXTRA 7 I Auto	16254010001

Voltage - Frequency	220-240 V~	50/60 Hz
Max power rating	W	1250
Rated power (nominal power)	W	1100
Cleaning solution tank		7
Useful capacity for dirty water		11
Air flow rate	I/s	71
Vacuum	mbar	235
Pressure	bar	4
Sound level	dbA	60
IP code		IPX4
Power supply cable	m	10
Weight (without accessories)	Kg	11
Dimensions	mm	500x380x485

Despite the small size, Power Extra 11 is able to achieve the performance of a bigger professional machine. Ideal for the automotive sector and to clean every type of textile and moquette surface. Equipped with a powerful pump (48 W), water spray rate 1,1 l/ min, pressure 7 bar, 11 liters solution tank, easy to fill thanks to the wide filling port, and 12 liter recovery tank. Power Extra 11 can be easily drained either using the practical drain hose or removing the whole tank and emptying it. Separated pump control.



# **POWER EXTRA 11 I**

The standard versions consists of a 3m hose ( $\emptyset$  40), the sprayex upholstery tool and the spray ex floor tool.

# **POWER EXTRA 11 I AUTO**

The Auto version is equipped with spray-ex upholstery tools and above all with the 6 m spray-ex hose; perfect for the car interiors and for every hard to reach area.

### PRODUCT IDENTIFICATION

TYPE	REF. NO.
POWER EXTRA 11 I	14754010001
POWER EXTRA 11 I Auto	14764010001

Voltage - Frequency	220-240 V~	50/60 Hz
Max power rating	W	1250
Rated power (nominal power)	W	1100
Cleaning solution tank		11
Useful capacity for dirty water	1	12
Air flow rate	l/s	71
Vacuum	mbar	235
Pressure	bar	7
Sound level	dbA	60
IP code		IPX4
Power supply cable	m	10
Weight (without accessories)	Kg	16,5
Dimensions	mm	890x420x550

Professional high level spray extractor cleaners. Power Extra 21 combines the high tank capacity with top level power and performance. Equipped with a powerful pump (48 W), water spray rate 1,1 l/min, pressure 7 bar, 21 liters solution tank, easy to fill thanks to the wide filling port, and 22 liter recovery tank. Power Extra 21 can be easily drained either using the practical drain hose or removing the whole tank and emptying it. Separated pump control.



### **POWER EXTRA 21 I**

The standard versions consists of a 3 m hose (Ø 40), the spray-ex upholstery tool and the spray ex floor tool.

### **POWER EXTRA 21 I AUTO**

The I Auto version is equipped with spray-ex upholstery tool and above all with the 6 m spray-ex hose; perfect for the car interiors and for every hard to reach area.

### PRODUCT IDENTIFICATION

TYPE		REF. NO.
POWER EXTRA 21		14624010001
POWER EXTRA 21	I Auto	14634010001

Voltage - Frequency	220-240 V~	50/60 Hz
Max power rating	W	1250
Rated power (nominal power)	W	1100
Cleaning solution tank		21
Useful capacity for dirty water	1	22
Air flow rate	I/s	71
Vacuum	mbar	235
Pressure	bar	7
Sound level	dbA	60
IP code		IPX4
Power supply cable	m	10
Weight (without accessories)	Kg	18,5
Dimensions	mm	900x530x520

Power Extra 31 is the top model of the range, suitable for every kind of application and cleaning task. Versatility and max performance (twin vac motors), declined and diversified in three versions, all with the classic stainless steel tanks. 31 liters solution tank, easy to fill thanks to the filling port. 32 liter recovery tank, it can be easily drained either using the practical drain hose or removing the whole tank and emptying it. Separated pump control.



### POWER EXTRA 31 I ULKA

Model available with the traditional ULKA pump (48 W power, 1.1 I / min flow rate, 7 bar pressure). In addition to the 3 m long hose (Ø 40),the I ULKA version has a spray-ex upholstery tool and the spray-ex floor tool.

### POWER EXTRA 31 I CEME

Model available in the CEME pump version (60 W power, 4.5 I / min flow rate, 6 bar pressure). In addition to the 3 m long hose (Ø 40), the I CEME version is equipped with a spray-ex upholstery tool and the spray-ex floor tool.

### POWER EXTRA 31 I AUTO CEME

The Auto version (equipped with Ceme pump too) comes with spray-ex upholstery tool and above all with the 6 m spray-ex hose, perfect for the car interiors and for every hard to reach areas.

#### PRODUCT IDENTIFICATION

TYPE		REF. NO.
POWER EXTRA 31	IULKA	14524010002
POWER EXTRA 31	I CEME	14524010001
POWER EXTRA 31	I Auto CEME	14534010001

Voltage - Frequency	220-240 V~	50/60 Hz
Max power rating	W	2500
Rated power (nominal power)	W	2200
Cleaning solution tank		31
Useful capacity for dirty water		32
Air flow rate	I/s	142
Vacuum	mbar	225
Pressure	bar	7 (ULKA)/6 (CEME)
Sound level	dbA	82
IP code		IPX4
Power supply cable	m	10
Weight (without accessories)	Kg	26,5
Dimensions	mm	960x630x550

**TOP QUALITY EQUIPMENT**Power Extra models are also endowed with top quality features and accessories to satisfy every specific user requirement.



### SPRAY-EX FLOOR TOOLS

high robustness and quality and resistance, for cleaning and drying in the best way every textile surface and moquette. Equipped with the standard chrome steel tube, "S" shaped (for 11, 21 and 31 models); to reach without any effort even narrow/ hard to clean areas.



### **HAND SPRAY-EX TOOLS**

ergonomic and extremely resistant (polypropylene), high quality and roubustness of the lever dispensing system.



### **NYLON PROTECTION FILTER**

for the best suction performance and maximum motor protection



### **FLEXIBLE SPRAY-EX HOSES**

- Flexible hose (Ø 40): practical and resistant available in both 2,5 and 6 meters versions (depending on the models).
- The clean (small) water hose. Coupled, but separate (and detachable) from the suction hose: more hygienic, easy to use and/or to replace

# **OPTIONAL ACCESSORIES**



### SPRAY-EX FLOOR ALU TOOL

Easy to install, thanks to the practical "S-shaped" tube in chromed steel. Ergonomic handle. Ideal for surface treatment even in the most difficult to reach areas.

#### STANDARD ACCESSORIES

REF. NO.	TYPE	7 P	7 I	<b>7 I AUTO</b>	11 I	11 I AUTO	21   2	21 I AUTO	31 I ULKA	31 I CEME	31 I AUTO CEME
6010632	Flexible hose 2,5 m	•	•								
2511485	Integrated suction tube 0,5 m (*)	•	•								
6010692	Spray-ex floor tool Ø36	•	•								
6010695	Hand spray-ex tool Ø36	•	•								
2001814	Funnel Ø8	•	•								
6493151	Flexible hose 6 m			•		•		•			•
7180074	Hand spray-ex tool Ø40			•	•	•	•	•	•	•	•
6493150	Flexible hose 3 m				•		•		•	•	
6935730	Spray-ex floor tool Ø 40				•		•		•	•	
3001009	Nylon protection filter				•	•					
3001016	Nylon protection filter						•	•	•	•	•

AT A GLANCE





ghibli & wirbel

Ghibli & Wirbel S.p.A.

Via Circonvallazione 5, 27020 Dorno PV - Italia T. +39 0382 848811 - F. +39 0382 84668 e-mail: info@ghibliwirbel.com



