



Small, medium or large areas, there is always a Ghibli sweeper to meet all your needs!



The complete range of sweepers to meet all the needs of cleaning operators!



Two walk-behind and three ride-on models, all characterised by high technical features and excellent performance!





### THE HS RANGE











#### PRODUCT IDENTIFICATION

MODEL HS M 80

**REF.NO.** 10.8000.00

#### **PRODUCT IDENTIFICATION**

MODEL	REF.NO.
HS MT 80	10.8080.00
HS MT 80 BC	13.8080.00

#### PRODUCT IDENTIFICATION

MODEL	REF.NO.
HS R 110	10.8110.00
HS R 110 LSB (Left Side Brush)	12.8110.00
HS R 110 BC	13.8110.00
HS R 110 BC LSB (Left Side Brush)	17.8110.00

#### **PRODUCT IDENTIFICATION**

MODEL	REF.NO.
HS R 120	10.8120.00
HSR120BC	13.8120.00

#### **PRODUCT IDENTIFICATION**

MODEL	REF.NO.
HS R 130	10.8130.00
HS R 130 ADM (Automatic Dumping Mode)	10.8133.00
HS R 130 BC	13.8130.00
HS R 130 BC ADM (Automatic Dumping Mode)	13.8133.00

# **HS M 80**



HS M 80 is the small manual sweeper with an 800 mm cleaning width, ideal for cleaning areas up to 1000 m<sup>2</sup>. This model has a higher **productivity** than other machines with classic sweeping systems, characterised by a single cylindrical brush, and is capable of collecting not only small waste such as paper, leaves and metal shavings, but also bulkier waste such as beverage cans and plastic cups.

HS M 80 is the **ideal choice for cleaning driveways, gardens, sports facilities and communal areas of apartment buildings**.

#### **PRODUCT IDENTIFICATION**

MODEL	REF. NO.	
HS M 80	10.8000.00	
TECHNICAL DATA FEATURES		
Two side brushes cleaning width	mm	800
Productivity (theor./practical)	m²/h	2800 - 1680
Advancement		Manual
Waste container: position - emptying - capacity		Rear - Manual - 40 I
Weight	Kg	14
Dimensions	mm	800x660x330
<u>^</u>		



#### HS M 80



## **DUAL SWEEPING**



The innovative DUAL SWEEPING MODE (DSM) system ensures that the hopper is completely filled. In fact, the combined movement of the two cylindrical brushes, rotating in opposite directions, overturns the debris and conveys it into the waste container more efficiently than with conventional sweeping mechanisms.

## OUTSTANDING CLEANING RESULTS





The two side brushes, adjustable in height to adapt perfectly to any type of surface, ensure perfect cleaning of corners and close to walls by directing dirt towards the two cylindrical brushes.

HS M 80 has a large, easily removed and emptied 40-litre waste container located at the rear of the machine.

### MANOEUVRABILITY AND COMPACTNESS





The large wheels mounted at the rear of the machine ensure excellent manoeuvrability during cleaning operations, allowing the machine to easily overcome bumps and steps. When the job is done, HS M 80 extremely compact size makes it easy to store anywhere.

# **PRACTICAL HANDLE**



HS M 80 handle can be adjusted to suit different needs and, thanks to the practical locking system, can be quickly and easily folded back onto the machine's body.

# **HS MT 80**

HS MT 80 is an highly practical and sturdy walk-behind sweeper, ideal for cleaning medium and small areas.



Thanks to its large cleaning width of 780 mm, this machine achieves **excellent performance with a productivity of 3120 m<sup>2</sup>/h**: to the width of the main brush of 550 mm is added the width of the right side brush, which is supplied as a standard accessory.

The BC version is equipped with batteries (12V) and on-board charger.

#### **PRODUCT IDENTIFICATION**

MODEL F	REF. NO.	
HS MT 80 1	0.8080.00	
HS MT 80 BC 1	3.8080.00	
TECHNICAL DATA FEATURES		
Main brush cleaning width + right side brush	mm	510 - 780
Productivity	m²/h	3120
Power supply		Battery 12V
Installed power	W	280
Advancement		Mechanical traction
IP code		IP20
BATTERIES		
Туре		Battery 12V 105 Ah (*)
Running time	h - min	4 h and 30 min
Running time Battery compartment dimensions x No	h - min mm x No	4 h and 30 min 170x350x270 x 1
Battery compartment dimensions x No		
Battery compartment		
Battery compartment dimensions x No BRUSHES	mm x No	170x350x270 x 1

#### TRACTION

rx1
al
al - 40 I
65

(\*) For BC version

#### **HS MT 80**



### HIGH FILTRATION CAPACITY





The large paper panel filter, which is easy to clean thanks to the manual filter shaker, traps the dust raised by the brush, ensuring that the operator can work safely.

## MECHANICAL TRACTION



HS MT 80 is equipped with a mechanical variable speed drive that can be operated directly from the lever on the foldable handlebar, allowing the operator to work effortlessly and in total comfort.

## **FOLDING HANDLE**



HS MT 80 practical handle can be adjusted to suit different applications and folded over the machine's body to increase its compactness.

## INSTANT ACCESS TO ALL MAIN COMPONENTS



HS MT 80 convenient top opening allows quick and easy access to the machine's main components, even for less experienced operators.

The HS R 110 is the compact ride-on sweeper ideal for cleaning narrow and congested areas.

The wide 860 mm cleaning width achieves **excellent performance with a productivity of 6050 m<sup>2</sup>/h**: to the width of the main brush of 624 is added the width of the right side brush, which is supplied as a standard accessory. The LSB version, with both side brushes fitted, achieves a cleaning track of 1100 mm.

The BC versions are equipped with batteries (12V) and on-board charger.

PRODUCT IDENTIFICA	ΤΙΟΝ		BRUSHES		
MODEL	REF. NO.		Main brush length x No	mm x No	624×1
HS R 110	10.8110.00		Side brush diameter x No	mm x No	390×1
HS R 110 LSB				W	300
(Left Side Brush)	12.8110.00		Right side brush motor	W	60
HS R 110 BC	13.8110.00		TRACTION		
HS R 110 BC LSB	17.8110.00		Motor rating	W	400
(Left Side Brush)	17.6110.00		Driving speed	km/h	6,5
TECHNICAL DATA	TECHNICAL DATA		Hill climbing ability	%	10
FEATURES			VACUUM AND DUST FILTERING SYSTEM		
Main brush cleaning width +			Motor rating	W	180
right side brush + left side brush	mm	624 - 860 - 1100	Noise level	dB(A)	71
			Filter type - Material x No		Cartridge - Paper x 3
Productivity	m²/h	6050	Filtering surface -	m²	3 - Electric
Power supply		Battery 24V	Dust Filter shaker		JEIECUIC
Installed power	W	940	Waste container: position -		Rear - Manual - 50 I
Advancement		With traction	emptying - capacity	17	105
IP code		IP20	Weight (without batteries)	Kg	185
BATTERIES			Dimensions	mm	1240x885x1120
Туре		Gel battery set (2 pcs) 12V 105Ah (*)	*		
Running time	h - min	2 h and 30 min	(*) For BC version		
Battery compartment dimensions x No	mm x No	450x400x270 x 1			



#### TOP SWEEPING AND FILTERING PERFORMANCE





The three cartridge filters, which are easy to clean thanks to the electric filter shaker, and the suction system on the right side brush, which removes all the dust raised, allow the operator to clean in complete safety.

## MAXIMUM PRACTICALITY IN TOTAL COMFORT





The machine's main functions, which can be selected directly from the practical controls on the steering wheel, and the perfect visibility offered by this machine, both during transport and while working, guarantee maximum comfort for the operator.

The handy knob on the steering column makes it easy to adjust the height of the side brush for a perfect cleaning performance.

In addition, the convenient flap lift pedal allows the machine to pick up even bulky waste with ease.

#### ERGONOMICS AND SAFETY



Maximum visibility of the working area to allow the operator to work in optimum conditions: ergonomics and safety are two key features to achieve the best cleaning results with minimum effort.

## AGILITY AND COMPACTNESS



The HS R 110 is extremely manoeuvrable: it can do a U-turn in just 190 cm and its compact dimensions are perfect for cleaning operations in tight spaces.



## The HS R 120 is the ideal ride-on sweeper for cleaning medium to large areas.

The machine, equipped with a main brush and two side brushes, achieves a **working width of 1200 mm and a productivity of 6200 m<sup>2</sup>/h**.

The BC version has batteries (24V) and battery charger on board.

#### **PRODUCT IDENTIFICATION**

MODEL	REF. NO.	
HS R 120	10.8120.00	
HS R 120 BC	13.8120.00	
TECHNICAL DATA FEATURES		
Main brush cleaning width - right side brush + left side brush	+ mm	700 - 920 - 1150
Productivity	m²/h	6200
Power supply		Battery 24V
Installed power	W	1150
Advancement		Traction on rear wheels
IP code		IPX0
BATTERIES		
Туре		Battery set (4 pcs) 6V 180Ah (*)
Running time	h - min	3 h
Battery compartment dimensions x No	mm x No	445x445x360X1
BRUSHES		
Main brush length x No	mm x No	700 x 1
Side brush diameter x No	mm x No	420 × 2

#### TRACTION

TRACTION		
Motor rating	W	500
Driving speed	km/h	6,3
Hill climbing ability	%	12
VACUUM AND DUST FILTERIN	G SYSTEM	
Noise level	dB(A)	76
Filter type - Material x No		Cartridge - Paper x 6
Filtering surface - Dust Filter shaker	M <sup>2</sup>	6 - Electric
Waste container: position - emptying - capacity		Rear - Manual - 62 l
Weight (without batteries)	Kg	260
Power of the services engine (roller, side brushes, suction)	W	650
Dimensions	mm	1500×1165×1100

(\*) For BC version



### HIGH FILTERING CAPACITY





The 6 paper cartridge filters, which are easy to clean thanks to the electric filter shaker, guarantee a high filtration surface and prevent the dispersion of dust into the environment, ensuring that the operator works in a healthy environment.

## ERGONOMICS AND INTUITIVENESS





The control panel is conveniently located and easy to reach, giving the operator instant access to the machine's key functions.

The adjustable, ergonomic wrap-around seat ensures maximum operator comfort, even during long working sessions.

The impact-resistant steel construction, certified anti-static system, front lighting and blinking light make the HS R 120 a sturdy and extremely safe machine.

# **HIGH PERFORMANCE**





The HS R 120 is equipped with convenient levers to lift the side brushes, allowing the operator to use them as needed. Additionally, the pressure of the main brush can be adjusted via a practical lever, enabling the user to adapt the cleaning process to the specific type of dirt being tackled. Moreover, the pedal-operated lifting of the central flap allows the collection of small materials and objects.

## PRACTICAL AND HIGHLY CAPACIOUS





The HS R 120 is extremely practical and convenient, even for inexperienced users, thanks to easy access to the machine's main components, such as the battery and filter compartment.

Large waste collection container with a capacity of 62 litres, allowing large quantities of waste to be collected. The container is fitted with a trolley to allow the operator to transport the collected material easily and effortlessly.

# HS R 130 / ADM





## The HS R 130 is the ideal ride-on sweeper for cleaning large areas.

It guarantees **excellent performance with a productivity of 9700 m<sup>2</sup>/h** and a working width of 1300 mm, thanks to the wide main and side brushes.

The ADM models further enhance cleaning performance by providing an automatic tilting system for convenient and effective cleaning. The BC versions are equipped with batteries (24V) and on-board charger.

#### **PRODUCT IDENTIFICATION**

MODEL		REF. NO.
HS R 130		10.8130.00
HS R 130 ADM (Automatic Dumping Mode)		10.8133.00
HS R 130 BC		13.8130.00
HS R 130 BC ADM (Automatic	Dumping Mode)	13.8133.00
TECHNICAL DATA		
FEATURES		
Main brush cleaning width + right side brush + left side brush	mm	780 - 1025 - 1270
Productivity	m²/h	9700
Power supply		Battery 24V
Installed power	W	2540
Advancement		With traction
IP code		IPX0
BATTERIES		
Туре		Battery set (4 pcs) 6V 240Ah (*)
Running time	h-min	2 h and 30 min
Battery compartment dimensions x No	mm x No	810x335x360 X 1

DICOOFILO		
Main brush length x No	mm x No	780×1
Side brush diameter x No	mm x No	500×2
Main brush motor	W	900
Right side brush motor	W	90×2
TRACTION		
Motor rating	W	1200
Driving speed	km/h	7,5
Hill climbing ability	%	20
VACUUM AND DUST FILTERIN	NG SYSTEM	
Motor rating	W	260
Noise level	dB(A)	75
Filter type - Material x No		Cartridge - Polyester x 8
Filtering surface - Dust Filter shaker	m²	6,4 - Electric
Waste container: position - emptying - capacity		Rear - Manual / Automatic (**) - 115 I
Weight (without batteries)	Kg	375 / 448 (**)
Dimensions	mm	1550x1270x1340 / 1630x1270x1300 (**)

(\*) For BC version (\*\*) ADM version

BRUSHES

#### HS R 130 / ADM



#### OUTSTANDING CLEANING PERFORMANCE





The HS R 130 can tackle any type of dirt, as the pressure of the main brush can be adjusted, and the side brushes can be raised or lowered as required by means of a practical lever system.

The pedal-operated lifting of the central flap allows small materials and objects to be picked up.

### PROFESSIONAL FILTRATION SYSTEM





The machine is equipped with a powerful filtration system consisting of 8 polyester cartridge filters and an electric filter shaker that retains the dust that is moved during the cleaning process, allowing the operator to work in complete safety.

### STURDINESS AND SAFETY



The HS R 130 is a solid and safe sweeper: its steel frame is specifically designed to withstand impacts, it is equipped with a certified anti-static system and has an excellent weight distribution that allows it to cope with sudden changes in direction. A blinking light and a front lighting system, both supplied as standard, complete the machine's equipment.

# AUTOMATIC DUMPING MODE



The HS R 130 ADM models are equipped with the convenient automatic dumping system (ADM), operated via the control panel, which allows the waste collector to be raised to a height of 145 cm and its contents to be dropped directly into the dumpster quickly and easily.

#### STANDARD ACCESSORIES

To best meet each operator's main needs, all our sweepers offer a wide range of standard accessories.

BRUSHES REF. NO.	DESCRIPTION		HS MT 80	HS R 110	HS R 120	HS R 130
40.0250.00	Main brush (*)	•				
40.0251.00	Right/left side brush (*)	•				
40.0253.00	Polypropylene main brush		•			
40.0260.00	) Polypropylene side brush		•			
40.0257.00	Main brush			•		
40.0260.00	) Polypropylene side brush (**)			•		
40.0269.00	) Polypropylene main brush				•	
40.0270.00	Polypropylene side brush (*)				•	
40.0264.00	Polypropylene main brush					•
40.0265.00	Polypropylene side brush (*)					•
1						







POLYPROPYLENE MAIN BRUSH

FILTERS	HS	HS	HS	HS	HS
REF. NO. DESCRIPTION	M 80	0 MT 80	R 110	R 120	R 130
39.0254.00 Paper panel filter		•			
39.0256.00 Paper cartridge filter			٠		
39.0333.00 Paper cartridge filter (***)				•	
39.0329.00 Polyester cartridge filter (****					٠
PAPER PANEL FILTER	PAPER CARTRIDGE FILTER		POLYES	TER CARTE	RIDGE

BATTIERIES		HS	HS	HS	HS	HS
REF. NO.	DESCRIPTION	M 80	MT 80	R 110	R 120	R 130
	Battery 12V 105 Ah Gel (*****)		•			
	Battery set (2 pcs) Gel 12V 105 Ah (*****)			•		
22.0836.00	) Battery set (4 pcs) Gel 6V 180 Ah (*****)				٠	
22.0835.00	Battery set (4 pcs) Gel 6V 240 Ah (*****)					•



BATTERY SET (2 PCS) GEL 12V 105 AH



BATTERY SET (2 PCS) GEL12V 105 AH



BATTERY CHARGERS REF. NO. DESCRIPTION		HS M 80	HS MT 80	HS R 110	HS R 120	HS R 130
22.0675.00 On board battery cha			٠			
22.0683.00 On board battery charger 24V 12A (*****) •						
18.0089.01 On board battery charger 24 V 30A (*****)					•	•
ON BOARD BATTERY	ON BOARD BATTERY					RY

CHARGER 12V 12 A

CHARGER 24V 12A



OTHER ACCESSORIES REF. NO. DESCRIPTION		HS M 80	HS MT 80	HS R 110	HS R 120	HS R 130	
-	Manual filter shaker			٠			
-	Electric filter shaker				•	٠	•
-	Flap lifting device				•	•	•
MANUAL FIL	TER SHAKER	ELECTRIC FILTER SHAK	CER CER		FLAP L	IFTING DEV	ICE

(\*) 2 brushes on standard equipment

(\*\*) 2 brushes supplied as standard in LSB version

(\*\*\*) 6 supplied as standard

(\*\*\*\*) 8 supplied as standard

(\*\*\*\*\*) For BC version

#### O P T I O N A L A C C E S S O R I E S

# A wide range of optional accessories complete the offer and are ideal for meeting any type of challenge, even the most specific.

BRUSHES REF. NO.	DESCRIPTION	HS M 80	HS MT 80	HS R 110	HS R 120	HS R 130
40.0254.00	Natural fiber main brush		٠			
40.0255.00	Nylon main brush		•			
40.0256.00	Mixed steel side brush		•	•		
40.0258.00	Polypropylene main brush			٠		
40.0271.00	Mixed steel main brush				٠	
40.0272.00	Mixed steel side brushes				•	
40.0266.00	Mixed steel main brush					•
40.0267.00	Mixed steel side brushes					•
40.0268.00	Main carpet brush					•
FILTERS REF. NO.	DESCRIPTION					
39.0255.00	Polyester panel filter		٠			
37.0257.00	Polyester cartridge filter			•		
39.0334.00	Polyester cartridge filter				•	
39.0337.00	HEPA filter				•	
39.0330.00	HEPA filter					•
OTHER ACCI						
REF. NO.	DESCRIPTION					
25.0624.00	Front dust conveyor			•		
39.0331.00	Front dust conveyor					•
28.0045.00	Front non-marking wheel			•		
34.0631.00	Hour counter			٠		
39.0335.00	Right side brush protection				٠	
39.0336.00	Left side brush protection				•	
25.0733.00	Steel waste container				٠	
39.0338.00	Dust protection for control panel				٠	
39.0339.00	Protective roof				٠	
39.0332.00	Protective roof					•







ghibli.com



Chibli & Wirbel S.p.A. Via Circonvallazione 5, 27020 Dorno PV - Italia T. +39 0382 848811 - F. +39 0382 84668 e-mail: info@ghibliwirbel.com BROCHURE HS SERIES 8001000-EN - ED.10.2024 - Ghibli & Wirbel S.p.A. reserves the right to change specifications and accessories at all times.